Recruit researchers Join for free Login

Article

Antimicrobial resistance of Klebsiella pneumoniae strains from patients with urinary tract infections in SBMPMC hospital Bijapur, India

July 2014 · International Journal of Pharma and Bio Sciences 5(3):376-382

Authors:



Metri B C ıll 11.77 · BLDE University



Pavani Jyothi النا 10.96 · ICFAI Business School

Request full-text



▲ Download citation



Copy link



To read the full-text of this research, you can request a copy directly from the authors.

Citations (1) References (13)

Abstract

The resistance profile of the Klebsiella pneumoniae were left undone despite the increasing prevalence rate of this organism in urinary tract infections (UTI) and its role in antibiotic resistance. The current study was undertaken to know the antibiotic sensitivity profile of Klebsiella pneumoniae, isolated from patients suffering from UTI in our medical college. The study was carried out over a period of 3 years from January 2010 to December 2012. Urine specimens from both outpatients and inpatients of our hospital were processed. Females were more frequently affected than males. (P>0.05) The most active antimicrobial agent against K. pneumoniae were piperacillintazobactum (72% sensitive), and amikacin (61%). One hundred and fifty two (97.4%) of all the isolates were multi-drug resistant. To conclude, this study stresses the importance of prior knowledge of the sensitivity pattern

Discover the world's research

- 17+ million members
- 135+ million publications
- 700k-Join for free proje

of the pathogen, before prescribing an antimicrobial agent for a meaningful therapy and to avoid fast emergence of resistant mutants.

ADVERTISING

No full-text available

Request the article directly from the authors on ResearchGate.

Request full-text



Citations (1)

References (13)

Screening of staphylococcus aureus and coagulase negative staphylococcus from urine samples

Article

Mar 2015

Metri B C · Pavani Jyothi

View Show abstract

Recommended publications Discover more

Article

Antibiotic overuse versus chronic suppression

September 2005 · Current Prostate Reports

Kevin Bigelow · Alexis Te

Because of the increasing use of antibiotics in the inpatient and outpatient setting, the emergence of resistance to antimicrobial agents has progressed significantly. Traditionally, antibiotic resistance has been a problem only in the management of complicated nosocomial urinary tract infections (UTIs). However, we now are seeing an emergence of antibiotic resistance in ... [Show full abstract]

Read more



Company	Support	Business solutions
About us	Help Center	Advertising
<u>News</u>		Recruiting
Careers		

© 2008-2020 ResearchGate GmbH. All rights reserved.

Terms · Privacy · Copyright · Imprint